

LAB FEDERAL ID#: ID00952		DATE REPORTED BY LAB: 4/6/2018
DATE RECEIVED: 3/27/2018		
COMPLIANCE SAMPLE: Yes	REPLACEMENT SAMPLE: No	
PWS #: 7220113	PWS NAME: Welling Subdivision	
CONTACT NAME: Gary Preston		CONTACT PHONE: (208) 313-2858

IAS EnviroChem

3314 Pole Line Rd.
Pocatello, ID 83201
phone: (208) 237-3300
fax: (208) 237-3336
email: iasec3308@iasenvirochem.com
www.iasenvirochem.com

LAB SAMPLE NUMBER: I803221-01	COLLECTION DATE/TIME: 03/26/18 14:00
SAMPLE TYPE: Other	SAMPLING POINT/LOCATION - TAG#/FACILITY ID: Well House

INORGANIC CHEMICAL ANALYSIS REPORT For Public Water Systems

<i>FRDS</i>	<i>Compound</i>	<i>Result</i>	<i>Units</i>	<i>MCL</i>	<i>MDL</i>	<i>Method</i>	<i>Analysis Date</i>	<i>Analyst</i>
1040	Nitrate as N	ND	mg/L	10	1.00	300.0	03/28/2018	CCH

ND = Not Detected MCL = Maximum Contaminant Level MDL = Method Detection Limit

Gary Preston
Gary Preston
P.O. Box 495
Island Park, ID 83429



G. Ryan Pattie
Laboratory Director

IAS EnviroChem

3314 Pole Line Rd. • Pocatello, ID 83201
Phone: (208) 237-3300 • Fax: (208) 237-3336
email: iasec3308@iasenvirochem.com • www.iasenvirochem.com

Login Report

Customer Name: **Gary Preston**
P.O. Box 495
Island Park, ID 83429

Work Order #: **I803221**

Contact Name: **Gary Preston**

Sample Description: **Well House**
Lab Tracking #: **I803221-01**
Matrix: **Drinking Water**
Sample Notes:

Sampling Date/Time: **03/26/18 14:00**

Date Received: **03/27/18 11:50**

<u>Test</u>	<u>Method</u>	<u>Due</u>
Nitrate:N (F)	300.0	04/10/18

Sample Condition Record

Samples received in a cooler?	No
Samples received intact?	Yes
The temperature recorded?	17.9
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all samples properly preserved?	Yes
Labels and chain agree?	Yes

Notes and Definitions

U	Analyte included in the analysis, but not detected
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference

1803221

Gary Preston

Received: 03/27/2018
RAD

1 Sample

IAS EnviroChem

3314 Poleline Rd. • Pocatello, ID 83201
phone (208) 237-3300 • fax (208) 237-3336
email: iasec3308@iasenvirochem.com • www.iasenvirochem.com

Idaho Chain of Custody - Drinking Water Analysis

Water System Name:	<u>WELLING SUBD.</u>	PWS #:	<u>722013</u>
Contact / Project Manger:	<u>GARY PRESTON</u>	County:	<u>FREMONT</u>
Address:	<u>PO Box 495</u>	Phone:	<u>208-313-7858</u>
City, State, Zip:	<u>ISLAND PARK ID 83429</u>	Email:	<u>CALDERAC@199@G.MAIL.COM</u>

Payment Options

Send Bill or Receipt To: DAVE WELLING ASSOCIATES Amount \$ _____
 Payment due with samples unless credit has been established Received by _____

Email Invoice to: TINGEYK@BYUI.EDU

Cash Bill Check# PO # Other USE CREDIT ON ACCOUNT

Sample Information

For all samples, Public and Private

Sample Type

Sample Collected By: GARY PRESTON

Sample Collection Location: WELL HOUSE
 (Name of well or other source for sample collected at the source. A different chain of custody should be used for each location collected from.)

Date Sample Taken 3/26/18 Time Sample Taken 2:00 AM PM

Distribution Raw Water
 Non-Compliance Plant Tap
 Other ROUTINE

For Public Water System Source Samples

Public Water System Jurisdiction

Location Tag # _____

A copy of report to be sent to:
 (Regulator) MERRILL HEMMING
MHEMMING@IEPH.IDAHO.GOV

CHECK DESIRED ANALYSIS

IOCs <input type="checkbox"/> Arsenic <input type="checkbox"/> Sodium <input checked="" type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Copper/Lead <input type="checkbox"/> Sulfate <input type="checkbox"/> Phase II IOC metals: Ba, Cd, Cr, F, Hg, Se <input type="checkbox"/> Phase V IOC: Be, Ni, Sb, Tl <input type="checkbox"/> Primary IOC package with Cyanide Waiver: Ba, Be, Cd, Cr, Hg, Ni, Sb, Se, Tl, Fluoride <input type="checkbox"/> Secondary/Optional IOC package: Ag, Al, Ca, Cu, Fe, K, Mg, Mn, Pb, Zn, Chloride, Ammonia, Hydrogen Sulfide, Silica, Color, Hardness, Odor, pH, Conductivity, Alkalinity, TDS, Langlier Index Corrosivity, Surfactants <input type="checkbox"/> Complete IOC package: Ag, Al, As, Ba, Be, Ca, Cd, Cr, Cu, Fe, Hg, K, Mg, Mn, Na, Ni, Pb, Se, Sb, Tl, Zn, Chloride, Fluoride, Nitrate, Nitrite, Sulfate, Ammonia, Hydrogen Sulfide, Silica, Color, Hardness, Odor, pH, Conductivity, Alkalinity, TDS, Langlier Index Corrosivity, Surfactants <input type="checkbox"/> Cyanide	VOCs <input type="checkbox"/> VOC 524.2 <input type="checkbox"/> TTHM <input type="checkbox"/> Haloacetic Acids (HAA5) <input type="checkbox"/> THMP RADS <input type="checkbox"/> Gross Alpha <input type="checkbox"/> Gross Beta <input type="checkbox"/> Radium 226 <input type="checkbox"/> Radium 228 <input type="checkbox"/> Uranium	SOCs <input type="checkbox"/> Full SOC (all 8 below) <input type="checkbox"/> Phase II SOC (all 5 below) <input type="checkbox"/> Semivolatiles (525.2) <input type="checkbox"/> Herbicides (515.1) <input type="checkbox"/> Carbamates (531.1) <input type="checkbox"/> Pesticides (505) <input type="checkbox"/> EDB/DBCP (504.1) <input type="checkbox"/> Phase V SOC (all 3 below) <input type="checkbox"/> Diquat (549.1) <input type="checkbox"/> Endothall (548.1) <input type="checkbox"/> Glyphosate (547)	Other (specify) <input type="checkbox"/> Bromate
---	---	---	--

Sample Submitted By: Gary Preston
Shipping or Delivery Date: 3/26/18

Received By: [Signature]
Received Date/Time: 03/27/18 1150
Temp. °C: 17.9°C