

LAB FEDERAL ID#: ID00952		DATE REPORTED BY LAB: 4/1/2021
DATE RECEIVED: 3/30/2021		
COMPLIANCE SAMPLE: Yes	REPLACEMENT SAMPLE: No	
PWS #: 7220113	PWS NAME: Welling Subdivision	
CONTACT NAME: Gary Preston		CONTACT PHONE: (208) 313-2858

IAS EnviroChem

3314 Pole Line Rd.
Pocatello, ID 83201
phone: (208) 237-3300
fax: (208) 237-3336
email: iasec3308@iasenvirochem.com
www.iasenvirochem.com

LAB SAMPLE NUMBER: I103215-01	COLLECTION DATE/TIME: 03/29/21 13:25
SAMPLE TYPE:	SAMPLING POINT/LOCATION - TAG#/FACILITY ID: 3796 Shoreline Dr.

INORGANIC CHEMICAL ANALYSIS REPORT For Public Water Systems

<i>FRDS</i>	<i>Compound</i>	<i>Result</i>	<i>Units</i>	<i>MCL</i>	<i>MDL</i>	<i>Method</i>	<i>Analysis Date</i>	<i>Analyst</i>
1040	Nitrate as N	ND	mg/L	10	1.00	300.0	03/30/2021	TP

ND = Not Detected MCL = Maximum Contaminant Level MDL = Method Detection Limit

Gary Preston
Gary Preston
P.O. Box 495
Island Park, ID 83429



G. Ryan Pattie
Laboratory Director

IAS EnviroChem

3314 Pole Line Rd. • Pocatello, ID 83201
Phone: (208) 237-3300 • Fax: (208) 237-3336
email: iasec3308@iasenvirochem.com • www.iasenvirochem.com

Login Report

Customer Name: **Gary Preston**
P.O. Box 495
Island Park, ID 83429

Work Order #: **I103215**

Contact Name: **Gary Preston**

Sample Description: **3796 Shoreline Dr.**
Lab Tracking #: **I103215-01**
Matrix: **Drinking Water**
Sample Notes:

Sampling Date/Time: **03/29/21 13:25**

Date Received: **03/30/21 11:37**

<u>Test</u>	<u>Method</u>	<u>Due</u>
Nitrate:N (F)	300.0	04/15/21

Sample Condition Record

Samples received in a cooler?	No
Samples received intact?	Yes
The temperature recorded?	15.9
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all samples properly preserved?	Yes
Labels and chain agree?	Yes

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference

I103215
 Gary Preston
 Received: 03/30/2021
 RAB
 1 Sample

IAS EnviroChem
 3314 Poleline Rd. • Pocatello, ID 83201
 phone (208) 237-3300 • fax (208) 237-3336
 email: iasec3308@iasenvirochem.com • www.iasenvirochem.com

Idaho Chain of Custody - Drinking Water Analysis

Water System Name	<u>WELLING SUBD</u>	PWS #:	<u>7270113</u>
Contact / Project Manger	<u>GARY PRESTON</u>	County	<u>FREMONT</u>
Address:	<u>PO Box 495</u>	Phone:	<u>208-313-2858</u>
City, State, Zip:	<u>ISLAND PARK, ID, 83429</u>	Email	<u>CALDERA@199@GMAIL.COM</u>

Payment Options	
Send Bill or Receipt To:	<u>DAVE WELLING ASSOC.</u> Amount \$ _____
Payment due with samples unless credit has been established	<u>PO Box</u> Received by _____
Email Invoice to:	<u>TINGEYK@BYUI.EDU</u>
<input type="checkbox"/> Cash	<input checked="" type="checkbox"/> Bill
<input type="checkbox"/> Check#	<input type="checkbox"/> PO #
<input type="checkbox"/> Other	<u>(P)</u>

Sample Information For all samples, Public and Private	Sample Type
Sample Collected By: <u>GARY PRESTON</u>	<input type="checkbox"/> Distribution <input type="checkbox"/> Raw Water
Sample Collection Location: <u>3796 SHORELINE DR</u>	<input type="checkbox"/> Non-Compliance <input type="checkbox"/> Plant Tap
(Name of well or other source for sample collected at the source A different chain of custody should be used for each location collected from)	<input type="checkbox"/> Other _____
Date Sample Taken: <u>3/29/21</u>	Time Sample Taken: <u>1:25</u> <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM

For Public Water System Source Samples	Public Water System Jurisdiction
Location Tag # _____	A copy of report to be sent to: (Regulator) <u>TINGEYK@BYUI.EDU</u> <u>CALDERA@199@GMAIL.COM</u>

CHECK DESIRED ANALYSIS			
IOCs <input type="checkbox"/> Arsenic <input type="checkbox"/> Sodium <input checked="" type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Copper/Lead <input type="checkbox"/> Sulfate <input type="checkbox"/> Phase II IOC metals: Ba, Cd, Cr, F, Hg, Se <input type="checkbox"/> Phase V IOC: Be, Ni, Sb, Tl <input type="checkbox"/> Primary IOC package with Cyanide Waiver: Ba, Be, Cd, Cr, Hg, Ni, Sb, Se, Tl, Fluoride <input type="checkbox"/> Secondary/Optional IOC package: Ag, Al, Ca, Cu, Fe, K, Mg, Mn, Pb, Zn, Chloride, Ammonia, Hydrogen Sulfide, Silica, Color, Hardness, Odor, pH, Conductivity, Alkalinity, TDS, Langlier Index Corrosivity, Surfactants <input type="checkbox"/> Complete IOC package: Ag, Al, As, Ba, Be, Ca, Cd, Cr, Cu, Fe, Hg, K, Mg, Mn, Na, Ni, Pb, Se, Sb, Tl, Zn, Chloride, Fluoride, Nitrate, Nitrite, Sulfate, Ammonia, Hydrogen Sulfide, Silica, Color, Hardness, Odor, pH, Conductivity, Alkalinity, TDS, Langlier Index Corrosivity, Surfactants <input type="checkbox"/> Cyanide	VOCs <input type="checkbox"/> VOC 524.2 <input type="checkbox"/> TTHM <input type="checkbox"/> Haloacetic Acids (HAA5) <input type="checkbox"/> THMP RADs <input type="checkbox"/> Gross Alpha <input type="checkbox"/> Gross Beta <input type="checkbox"/> Radium 226 <input type="checkbox"/> Radium 228 <input type="checkbox"/> Uranium	SOCs <input type="checkbox"/> Full SOC (all 8 below) <input type="checkbox"/> Phase II SOC (all 5 below) <input type="checkbox"/> Semivolatiles (525.2) <input type="checkbox"/> Herbicides (515.1) <input type="checkbox"/> Carbamates (531.1) <input type="checkbox"/> Pesticides (505) <input type="checkbox"/> EDB/DBCP (504.1) <input type="checkbox"/> Phase V SOC (all 3 below) <input type="checkbox"/> Diquat (549.1) <input type="checkbox"/> Endothall (548.1) <input type="checkbox"/> Glyphosate (547)	Other (specify) <input type="checkbox"/> Bromate

Sample Submitted By: Gary Preston
 Shipping or Delivery Date: 3/29/21 3:35 PM

Received By: DC
 Received Date/Time: 033021 1137
 Temp. °C: 15.9°